

[09 | 904067]

|   | Type | L # | Hits | Search Text   | DBs  | Time Stamp          |
|---|------|-----|------|---|--|---------------------|
| 1 | BRS  | L1  | 8    | (( capacit\$4 ) near4 ( torque ) near4 ( sensor detector transducer )).clm. | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>12:13 |
| 2 | BRS  | L13 | 108  | ( capacit\$4 ) near4 ( torque ) near4 ( sensor detector transducer )        | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>12:15 |
| 3 | BRS  | L25 | 3    | 19 and ( shaft )  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>12:15 |
| 4 | BRS  | L37 | 3    | 25 and ( plate support )  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>12:16 |
| 5 | BRS  | L43 | 3    | 37 and ( ring )   | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>12:16 |
| 6 | BRS  | L31 | 1    | 25 and ( conductive nonmagnetic ) near4 ( disk )                            | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>12:20 |

|   | Type | L # | Hits | Search Text  | DBs  | Time Stamp          |
|---|------|-----|------|--|--|---------------------|
| 1 | BRS  | L1  | 829  | ( torque angle angular ) near4 ( capacit\$8 ).clm. | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>14:44 |
| 2 | BRS  | L7  | 48   | 1 and ( dielectric\$4 ).clm.                       | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>14:46 |
| 3 | BRS  | L19 | 1    | 13 and ( shaft ).clm.                              | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>14:24 |
| 4 | BRS  | L25 | 6    | 13 and ( shaft )                                   | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>14:46 |
| 5 | BRS  | L13 | 13   | 7 and ( aperture hole bore opening ).clm.          | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>14:43 |
| 6 | BRS  | L31 | 12   | "5099386"  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>14:43 |

|    | Type | L # | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|-----|------|--|--|---------------------|
| 7  | BRS  | L43 | 6    | 37 and ( dielectric\$4 )                             | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>14:46 |
| 8  | BRS  | L49 | 4    | 43 and ( shaft )                                     | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>14:49 |
| 9  | BRS  | L55 | 7    | "5077635"  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>14:51 |
| 10 | BRS  | L61 | 16   | "4864295"  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>14:52 |
| 11 | BRS  | L67 | 29   | "4238781"  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>14:53 |
| 12 | BRS  | L37 | 6    | 31 and ( torque angle angular ) near4 ( capacit\$8 ) | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWE<br>NT | 2002/06/20<br>14:59 |